

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

Claims 1-28 (Canceled).

29. (Currently Amended) A method of generating a data store comprising:  
generating a plurality of records, wherein each record pertains to a respective one of a plurality of users including a first user, a second user and a third user, wherein each record comprises a searchable identifier, and a linkable identifier, wherein a record of the first ~~a first~~ user includes  
a first field for holding data about the first user,  
a second field for holding data about at least one second user, obtained from a database of the first user, and  
a third field for holding linkable ~~linked~~ data referring to a ~~identifying at least one other record of~~ at least one third user, based on presence of data about the third user in the database of the first user and/or presence of the first user in a database of the third user, and  
identifying the records of the first user and the third user ~~one or more records as~~ linked records, ~~which record includes a linkable identifier of the first user as being linked data for inclusion into the third field.~~

30. (Previously Presented) The method of generating a data store according to claim 29 wherein the searchable identifier is a user identifier, and the linkable identifier one or more of user addresses, telephone numbers, or mobile telephone numbers.

31. (Previously Presented) The method of generating a data store according to claim 29 wherein the database of the first user comprises an address book.

32. (Previously Presented) The method of generating a data store according to claim 29 further including the step of ascribing a weighting to a linked record.

33. (Previously Presented) The method of generating a data store system comprising a plurality of records, each record being generated and linked using the method of claim 29 wherein the step of identifying linked records comprises identifying reciprocal links for inclusion in the third field of each record identified as including a linkable identifier to and/or from the other.

34. (Previously Presented) The method of searching a data store system generated by the method of claim 33 in response to a request from a first user based on a specified searchable identifier, comprising  
searching for the searchable identifier

in the second and third fields of the record of the first user, and  
in other records, and  
compiling a list of any or all user records which include the searchable identifier.

35. (Previously Presented) The method of searching a data store system according to claim 34 wherein the step of searching for the searchable identifier comprises searching for the searchable identifier in the other records only if the searchable identifier is not found in the second and third fields of the record of the first user.

36. (Previously Presented) The method of searching a data store system according to claim 34 wherein the searching step comprises searching for the searchable identifier in all other records, or a pre-specified set of other records.

37. (Previously Presented) The method of searching a data store system according to claim 36 wherein the searching step comprises searching for the searchable identifier in a pre-specified set of other records which are a pre-specified link distance from the user record of the first user.

38. (Previously Presented) The method of searching a data store system according to claim 34 the listing step comprises ordering the list in accordance with link distance between a particular record and the record of the first user.

39. (Previously Presented) The method of searching a data store system according to claim 34 wherein the listing step further comprises ranking the listed records.

40. (Previously Presented) The method of searching a data store system according to claim 34 further including the step of identifying a record in dependence on its rank, and retrieving information relating to the identified record for presentation to the first user.

41. (Currently Amended) A data store generating apparatus comprising record generation means for automatically generating a plurality of records, wherein each record pertains to a respective one of a plurality of users including a first user, a second user and a third user, wherein each record comprises a searchable identifier, and a linkable identifier, wherein a record of the first ~~a first~~ user includes

a first field for holding data about the first user,

a second field for holding data about at least one second user, obtained from a database of the first user, and

a third field for holding linkable linking data referring to a identifying at least one other record of at least one user, based on presence of data about the third user in the database of the first user and/or presence of the first user in a database of the third user, and,

link identification means for automatedly identifying the records of the first user and the third user ~~one or more records as linked records, which record includes a linkable identifier of the first user as being linked data for inclusion into the third field.~~

42. (Previously Presented) The data store generating apparatus according to claim 41 wherein the searchable identifier is a user identifier, and the linkable identifier one or more of user addresses, telephone numbers, or mobile telephone numbers.

43. (Previously Presented) The data store generating apparatus according to claim 41 wherein the database of the first user comprises an address book.

44. (Previously Presented) The data store generating apparatus according to claim 41 further including weighting means to ascribe a weighting to a linked record.

45. (Previously Presented) A data store system comprising a plurality of records, each record being generated and linked using the data store generating apparatus of claim 41, wherein the link identification means is arranged in use to identify reciprocal links for inclusion in the third field, of each record identified as including a linkable identifier to and/or from the other.

46. (Previously Presented) A data store searching apparatus for searching the data store system of claim 45 in response to a request from a first user based on a specified searchable identifier, the apparatus comprising

searching means for searching for the searchable identifier

in the second and third fields of the record of the first user, and

in other records, and

listing means to compile a list of any or all user records which include the searchable identifier.

47. (Previously Presented) The data store searching apparatus of claim 46 wherein the searching means is arranged in use to search for the searchable identifier in the other records only if the searchable identifier is not found in the second and third fields of the record of the first user.

48. (Previously Presented) The data store searching apparatus according to claim 46 wherein the searching means is arranged to search for the searchable identifier in all other records, or a pre-specified set of other records.

49. (Previously Presented) The data store searching apparatus according to claim 48 wherein the searching means is arranged to search for the searchable identifier in a pre-specified set of other records which are a pre-specified link distance from the user record of the first user.

50. (Previously Presented) The data store searching apparatus according to claim 46 wherein the listing means is arranged in use to order the list in accordance with link distance between a particular record and the record of the first user.

51. (Previously Presented) The data store searching apparatus according to claim 46 wherein the listing means is further arranged to rank the listed records.

52. (Previously Presented) The data store searching apparatus according to claim 51 wherein the listing means is arranged to rank each of the listed user records based on at least one of its weighting, its link distance from the record of the first user, or its frequency of occurrence in the list.

53. (Previously Presented) The data store searching apparatus according to claim 46 further including retrieving means for identifying a record in dependence on its rank, and for retrieving information relating to the identified record for presentation to the first user.

54. (Previously Presented) The data store searching apparatus according to claim 46 wherein the listing means is arranged to rank each of the listed user records based on at least one of its weighting, its link distance from the record of the first user, or its frequency of occurrence in the list.